




Camera Mounting Solutions

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
FIXED DOMES					
AI4 IR Dome 41094-101  <i>42364 and 42366 cannot be used together.</i> <i>40745 and 40747 cannot be used together.</i> OTHER ACCESSORIES Electrical Box Mount 4" Mounting Adapter Plate for Octagon and Single Gang Box 40742 	Not Available	Pendant Head (1.5" NPT) 42359  — + — Pendant Pipe 20cm - 42360 OR Pendant Pipe 40cm - 42361  — + — Mounting Cap Adapter 41190 	Waterproof Conduit Box 41193  — OR — L-Shape Bracket 41191  — OR — Wall Mount Bracket 42169  — + — Mounting Cap Adapter 41190  — + — Outdoor Junction Box (Optional) 41867  — OR — Gooseneck Bracket 42362  — + — Mounting Cap Adapter 41190  — + — Junction Box (Optional) 42363 	Wall Mount Bracket 42169  — + — Mounting Cap Adapter 41190  — + — Pole Mount Adapter 40745  — + — Outdoor Junction Box (Optional) 41867  — OR — Gooseneck Bracket 42362  — + — Mounting Cap Adapter 41190  — + — Pole Mount Adapter 40745  — + — Junction Box (Optional) 42363 OR 42366 	Wall Mount Bracket 42169  — + — Mounting Cap Adapter 41190  — + — Corner Mount Adapter 40747  — + — Outdoor Junction Box (Optional) 41867 

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
FIXED DOMES					
EL2 IR Dome 40560-101  42364 and 42366 cannot be used together. 40745 and 40747 cannot be used together. OTHER ACCESSORIES Electrical Box Mount 4" Mounting Adapter Plate for Octagon and Single Gang Box 40742 	Not Available	Pendant Head (1.5" NPT) 42359  — + — Pendant Pipe 20cm - 42360 OR Pendant Pipe 40cm - 42361  — + — Mounting Cap Adapter 40743 	Waterproof Conduit Box 40746  — OR — L-Shape Bracket 40741  — OR — Wall Mount Bracket 42169  — + — Mounting Cap Adapter 40743  — + — Outdoor Junction Box (Optional) 41867  — OR — Gooseneck Bracket 42362  — + — Mounting Cap Adapter 40743  — + — Junction Box (Optional) 42363 	Wall Mount Bracket 42169  — + — Mounting Cap Adapter 40743  — + — Pole Mount Adapter 40745  — + — Outdoor Junction Box (Optional) 41867  — OR — Gooseneck Bracket 42362  — + — Mounting Cap Adapter 40743  — + — Pole Mount Adapter 40745  — + — Junction Box (Optional) 42363 OR 42366 	Wall Mount Bracket 42169  — + — Mounting Cap Adapter 40743  — + — Corner Mount Adapter 40747  — + — Outdoor Junction Box (Optional) 41867 


	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
FIXED DOMES					
EL5 IR Dome 41512-101 41513-101  <i>42364 and 42366 cannot be used together.</i> <i>40745 and 40747 cannot be used together..</i> OTHER ACCESSORIES Electrical Box Mount 4" Mounting Adapter Plate for Octagon and Single Gang Box 40742 	Not Available	Pendant Head (1.5" NPT) 42359  — + — Pendant Pipe 20cm - 42360 OR Pendant Pipe 40cm - 42361  — + — Mounting Cap Adapter 42046 	Waterproof Conduit Box 40746  — OR — L-Shape Bracket 40741  — OR — Wall Mount Bracket 42169  — + — Mounting Cap Adapter 42046  — + — Outdoor Junction Box (Optional) 41867  — OR — Gooseneck Bracket 42362  — + — Mounting Cap Adapter 42046  — + — Junction Box (Optional) 42363 	Wall Mount Bracket 42169  — + — Mounting Cap Adapter 42046  — + — Pole Mount Adapter 40745  — + — Outdoor Junction Box (Optional) 41867  — OR — Gooseneck Bracket 42362  — + — Mounting Cap Adapter 42046  — + — Pole Mount Adapter 40745  — + — Junction Box (Optional) 42363 OR 42366 	Wall Mount Bracket 42169  — + — Mounting Cap Adapter 42046  — + — Corner Mount Adapter 40747  — + — Outdoor Junction Box (Optional) 41867 

	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
FIXED DOMES					
ME6 IR Dome 37992-101 	Flush Mount Adapter 33306 	Pipe Mount Adapter (1.5" NPT) 33285  — + — Pendant Mount 41516  — OR — Pipe Mount Adapter (1.5" NPT) 33285  — + — Pendant Mount with Back Box 36990 	Wall Mount (indoor applications only) 33088  — OR — Pipe Mount Adapter (1.5" NPT) 33285  — + — Wall Mount 41517  — OR — Pipe Mount Adapter (1.5" NPT) 33285  — + — Wall Mount with Back Box 36989 	Pipe Mount Adapter (1.5" NPT) 33285  — + — Wall Mount 41517  — + — Pole Adapter 41515  — OR — Pipe Mount Adapter (1.5" NPT) 33285  — + — Wall Mount with Back Box 36989  — + — Pole Adapter 41515 	Pipe Mount Adapter (1.5" NPT) 33285  — + — Wall Mount 41517  — + — Corner Adapter 27639  — OR — Pipe Mount Adapter (1.5" NPT) 33285  — + — Wall Mount with Back Box 36989  — + — Corner Adapter 27639 
ME8 IR Dome 39532-101 					
VA2 IR Dome 39361-101 					
VA4 IR Dome 39362-101 					

	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 	Electrical Box Mount
FIXED INDOOR DOME					
VA2 Indoor IR Dome 35835-101  <i>Also available with smoked bubble (37271) and black housing (37991)</i>	Pipe Mount Adapter (1.5" NPT) 33287  — + — Pendant Mount 41516  OR Pipe Mount Adapter (1.5" NPT) 33287  — + — Pendant Mount with Back Box 36990 	Wall Mount 33286  OR Pipe Mount Adapter (1.5" NPT) 33287  — + — Wall Mount 41517  OR Pipe Mount Adapter (1.5" NPT) 33287  — + — Wall Mount with Back Box 36989 	Pipe Mount Adapter (1.5" NPT) 33287  — + — Wall Mount 41517  — + — Pole Adapter 41515  OR Pipe Mount Adapter (1.5" NPT) 33287  — + — Wall Mount with Back Box 36989  — + — Pole Adapter 41515 	Pipe Mount Adapter (1.5" NPT) 33287  — + — Wall Mount 41517  — + — Corner Adapter 27639  OR Pipe Mount Adapter (1.5" NPT) 33287  — + — Wall Mount with Back Box 36989  — + — Corner Adapter 27639 	Adapter Plate 36068  Electrical box mount not available with VA2 Indoor NanoDome
VA2 Indoor NanoDome 33364-101 					
VA4 Indoor IR Dome 39367-101  <i>Also available with smoked bubble (37271) and black housing (37991)</i>					





	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
PTZ DOMES				
ME3 Pendant IR PTZ 40x 39534-101 	Pendant Mount 41516  OR Pendant Mount with Back Box 36990 	Wall Mount 41517  OR Wall Mount with Back Box 36989 	Wall Mount 41517  + Pole Adapter 41515  OR Wall Mount with Back Box 36989  + Pole Adapter 41515 	Wall Mount 41517  + Corner Adapter 27639  OR Wall Mount with Back Box 36989  + Corner Adapter 27639 
SE2 Pendant PTZ 30x 39535-101  <i>available with smoked bubble (37272)</i>				
SE2 Flush PTZ 30x 39536-101  <i>available with smoked bubble (37273)</i>	This dome can be flush-mounted out of the box; no additional mounting options are available.			




	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
BULLET CAMERAS				
AI4 IR DuraBullet 41095-101  LPR (License Plate Recognition) Bullet 42045-101  <i>40745 and 40747 cannot be used together.</i>	Not Available	Outdoor Junction Box 41867 	Pole Mount Adapter 40745 	Corner Mount Adapter 40747 
EL2 IR Bullet 40559-101 40559-102  EL5 IR Bullet 42057-101  <i>42364 and 42366 cannot be used together.</i> <i>40744 and 40746 cannot be used together.</i> <i>40745 and 40747 cannot be used together.</i>	Not Available	Junction Box 40744  OR Waterproof Conduit Box 40746 	Pole Mount Adapter 40745  OR Pole Mount Adapter 42366 	Corner Mount Adapter 40747 



BULLET CAMERAS		WALL MOUNT		POLE MOUNT					
ME6 IR DuraBullet 37993-101 		Wall Mount Back Box 33227 		Pole Mount Back Box 33226 					
ME8 IR DuraBullet 39533-101 									
VA4 IR DuraBullet 39366-101 									
VA2 IR MicroBullet 39365-101 									
COVERT CAMERAS		Height Strip	Counter Mount	Doorway Enclosure	Wall Mount Faceplate	Drive Up Enclosure			
VA4 Covert Camera 40100-101 		Height Strip Housing 38764 	Counter Mount Multiple models available; contact Parabit for P/Ns 	Doorway Mount Multiple models available; contact Parabit for P/Ns 	Wall Mount Multiple models available; contact Parabit for P/Ns 	Drive Up Mount Multiple models available; contact Parabit for P/Ns 			
ATM CAMERAS		Short Mounting Bracket		Standard Mounting Bracket	View Window Mounting Bracket				
SE2 ATM Camera 38137-101 		Not Available		Mounting Bracket 34278 	Mounting Bracket 40317 (for NCR 6634) 41079 (for NCR 6684 and NCR 6688) 				
ANALYTICS SENSORS		Indoor Surface Mount		Recessed Mount - X-Tilt	Indoor Wall/Ceiling Mount				
Brickstream Sensors 37381-101 37381-102 37381-103 37381-104 		Surface Mount Ships with camera 		Recessed Mount - X-Tilt 38548 	Wall/Ceiling Mount HOWSCAMWB 				



	Flush Mount 	Pendant Mount 	Wall Mount 	Pole Mount 	Corner Mount 
180° AND 360° CAMERAS					
VA5 360° IR Dome 41105-101 41105-102 	Not Available	Pendant Mount with Back Box 36990  — + — Pipe Mount Adapter (1.5" NPT) 33285  OR Pendant Mount 41516  OR Pipe Mount Adapter (1.5" NPT) 33285 	Wall Mount with Back Box 36989  — + — Pipe Mount Adapter (1.5" NPT) 33285  OR Wall Mount 41517  — + — Pipe Mount Adapter (1.5" NPT) 33285 	Wall Mount with Back Box 36989  — + — Pipe Mount Adapter (1.5" NPT) 33285  — + — Pole Adapter 41515  OR Wall Mount 41517  — + — Pipe Mount Adapter (1.5" NPT) 33285  — + — Pole Adapter 41515 	Wall Mount with Back Box 36989  — + — Pipe Mount Adapter (1.5" NPT) 33285  — + — Corner Adapter 27639  OR Wall Mount 41517  — + — Pipe Mount Adapter (1.5" NPT) 33285  — + — Corner Adapter 27639 





	Flush Mount 	Pendant Mount 	Panoramic+ Tilt Mount 	Wall Mount 	Pole Mount 	Corner Mount 
180° AND 360° CAMERAS						
Oncam C-Series Indoor Cameras C-08 40216 C-12 38500 	Flush Mount Adapter 38502 	Pendant Mount Adapter 38503 	Panoramic+ Tilt 40032 			
Oncam C-Series Outdoor Cameras C-08 40217 C-12 38501  <i>optional heater module (38505)</i> 		Pendant Mount Adapter 38504   <i>Both Pendant Cap and Sunshield Included</i>  Optional Rain Guard 40033  <i>compatible with all Panoramic+ Tilt mounts</i>	Panoramic+ Tilt 40034   Pendant Mount Adapter 38504	Wall Mount 34493   Pendant Mount Adapter 38504	Pole Mount 34491   Pendant Mount Adapter 38504	Corner Mount 34487   Pendant Mount Adapter 38504



Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
FLUSH MOUNT ADAPTERS						
33306 Flush Mount Adapter For flush-mounting various outdoor domes		 4.06" / 10.3cm 5.31" / 13.48cm 2.28" / 5.8cm 0.37" / .95cm Ø7.44" / 18.9cm	•	•	Material: Steel/plastic assembly Color: White Weight: 2.0 lbs (0.91 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101
PENDANT HEAD ADAPTERS						
42359 Outdoor Pendant Head For mounting various domes to a ceiling		 Ø16.0 cm / 6.3" 16.0 cm / 6.3" 9.83 cm / 3.87" 9.0 cm / 3.54" 5.6 cm / 2.21"	•	•	Material: Aluminum Alloy Color: White Pipe Thread: PF 1-1/2" Dimensions: Ø 160 x 90 mm Weight: 740 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
PIPE MOUNT ADAPTERS						
33285 1.5" NPT Mount Adapter with Sunshield For mounting various domes to industry-standard NPT mounts		 2.17" / 5.50cm 4.65" / 11.8cm 1.06" / 2.70cm 5.28" / 13.42cm Ø6.61" / 16.8cm	•	•	Material: Plastic Color: White Weight: 1.0 lb (0.45 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA5 360° IR Dome 41105-101 41105-102
33287 0.75" / 1.5" NPT Mount Adapter For mounting various domes to industry-standard NPT mounts		 3.68" / 9.34cm 2.46" / 6.24cm 1.87" / 4.74cm 3/4" NTP 1 1/2" NTP	•	•	Material: Aluminum Color: White Weight: 0.4 lb (0.18 kg)	VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101




Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
PIPE MOUNT ADAPTERS (cont'd)						
40743 0.75" / 1.5" NPT Mount Adapter for Fixed Dome For mounting various domes to industry-standard NPT mounts			•	•	Material: Aluminum Alloy Color: White Pipe Thread: 3/4" NPT Female and 1-1/2" PS Male Dimensions: Ø 130 x 42 mm Weight: 230 g	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA5 360° IR Dome 41105-101 41105-102
42046 0.75" / 1.5" NPT Mount Adapter for Fixed Dome For mounting various domes to industry-standard NPT mounts			•	•	Material: Aluminum Alloy Color: White Pipe Thread: 3/4" NPT Female and 1-1/2" PS Male Dimensions: Ø 155 x 42 mm Weight: 320 g	EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
41190 0.75" / 1.5" NPT Mount Adapter for Outdoor Dome For mounting various domes to industry-standard NPT mounts			•	•	Material: Aluminum Alloy Color: White Pipe Thread: 3/4" NPT Female and 1-1/2" PS Male Dimensions: Ø 155 x 42 mm Weight: 320 g	AI4 IR Dome 41094-101




Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
PENDANT MOUNTS						
41516 Pendant Mount For mounting various domes to a ceiling			•	•	Material: Aluminum Color: White Weight: 1.21 lbs (0.55 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101 ME3 Pendant IR PTZ 40x 39534-101 SE2 Pendant PTZ 30x 39535-101 VA5 360° IR Dome 41105-101 41105-102
36990 Pendant Mount with Back Box For mounting various domes to a ceiling			•	•	Material: Aluminum Color: White sand-tone Weight: 3.54 lbs (1.61 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101 ME3 Pendant IR PTZ 40x 39534-101 SE2 Pendant PTZ 30x 39535-101




Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
PENDANT MOUNTS (cont'd)						
42360 Outdoor Pendant Pipe (20cm) - 1.5" PS11 For mounting various domes to a ceiling			•	•	Material: Aluminum Alloy Color: White Dimensions: Ø 51 x 200 mm Weight: 410 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
42361 Outdoor Pendant Pipe (40cm) - 1.5" PS11 For mounting various domes to a ceiling			•	•	Material: Aluminum Alloy Color: White Dimensions: Ø 51 x 400 mm Weight: 902 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101



Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
WALL MOUNT ADAPTERS						
33088 Short Wall Mount For mounting various domes to a wall (indoors)		 Side view dimensions: 6.18" (15.69cm) width, 1.59" (4.05cm) height, 1.14" (2.9cm) height, 1.59" (4.05cm) height. Front view dimensions: 4.41" (11.20cm) width, 0.527" (13.38cm) diameter.	•		Material: Plastic Color: White Weight: 0.5 lb (0.23 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101
33286 Short Wall Mount For mounting various domes to a wall		 Side view dimensions: 5.85" (14.85cm) width, 1.59" (4.05cm) height, 1.14" (2.9cm) height, 4.33" (11.0cm) height. Front view dimensions: 3.68" (9.34cm) width.	•	•	Material: Plastic Color: White Weight: 0.3 lb (0.14 kg)	VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101
40741 L-Shape Bracket For mounting directly to walls - requires no other adapters		 Front view dimensions: 11.0 cm (4.33") width, 13.5 cm (5.32") height. Side view dimensions: 6.0 cm (2.36") width.	•	•	Material: Aluminum Alloy Color: White Dimensions: 170 (L) x 110 (W) x 150 (H) mm Weight: 600 g	EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
41191 L-Shape Bracket For mounting directly to walls - requires no other adapters		 Front view dimensions: 15.0 cm (5.97") width, 17.0 cm (6.7") height. Side view dimensions: 11.0 cm (4.33") width.	•	•	Material: Aluminum Alloy Color: White Dimensions: 170 (L) x 110 (W) x 150 (H) mm Weight: 600 g	AI4 IR Dome 41094-101





Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
WALL MOUNT ADAPTERS (cont'd)						
36989 Wall Mount with Back Box For mounting various domes to a wall			•	•	Material: Aluminum Color: White sand-tone Weight: 4.48 lbs (2.03 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101 ME3 Pendant IR PTZ 40x 39534-101 SE2 Pendant PTZ 30x 39535-101 VA5 360° IR Dome 41105-101 41105-102
41517 Long Wall Mount For wall mounting various domes			•	•	Material: Aluminum Color: White Weight: 1.21 lbs (0.55 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101 ME3 Pendant IR PTZ 40x 39534-101 SE2 Pendant PTZ 30x 39535-101 VA5 360° IR Dome 41105-101 41105-102




Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
BRACKET MOUNT ADAPTERS						
42362 Wall or Pole Mount Gooseneck Bracket For mounting various domes to industry-standard NPT mounts			•	•	Material: Aluminum Alloy Color: White Pipe Thread: PF 1-1/2" Dimensions: 406 (L) x 140 (W) x 262 (H) mm Weight: 2,085 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
42169 Wall, Pole, or Corner Mount Bracket For mounting various domes to industry-standard NPT mounts			•	•	Material: Aluminum Alloy Color: White Dimensions: 231 (L) x 117 (W) x 117 (H) mm Weight: 700 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
HOWSCAMWB Wall/Ceiling Mount For mounting analytics sensors			•		Material: Plastic/aluminum Color: White Weight: .33 lbs (.150 kg)	Brickstream Sensors 37381-101 37381-102 37381-103 37381-104





Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
WALL MOUNT BOXES						
41913 Waterproof Conduit Box IP66 (with supported cameras)			•	•	Material: Aluminum Alloy Color: White Pipe Thread: PF 3/4" Dimensions: Ø 138 x 55 mm Weight: 736 g	AI4 IR Dome 41094-101
40746 Outdoor Conduit Box			•	•	Material: Aluminum Alloy Color: White Pipe Thread: PF 1/2" Dimensions: Ø 117 x 40 mm Weight: 373 g	EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
33227 Wall Mount Back Box For mounting the Bullet Cameras to a wall			•	•	Material: Aluminum Color: White Weight: 2.0 lbs (0.91 kg)	ME6 IR DuraBullet 37993-101 ME8 IR DuraBullet 39553-101 VA2 IR MicroBullet 39365-101 VA4 IR DuraBullet 39366-101


Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
POLE MOUNT ADAPTERS						
41515 Pole Adapter For mounting various domes to a pole			•	•	Material: Steel Color: White Weight: 2.87 lbs (1.30 kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101 ME3 Pendant IR PTZ 40x 39534-101 SE2 Pendant PTZ 30x 39535-101 VA5 360° IR Dome 41105-101 41105-102
40745 Pole Mount Bracket – Pole Diameter 90-152mm For mounting poles to a Wall Mount Bracket			•	•	Material: SECC and Stainless Steel Color: White Dimensions: 170 (L) x 174 (W) x 70 (H) mm Weight: 997 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 41512-101 EL5 IR Dome 41513-101 AI4 IR DuraBullet 41095-101 LPR Bullet 42045-101 EL2 IR Bullet 40559-101 40559-102 EL5 IR Bullet 42057-101
33226 Pole Mount Back Box For mounting the Bullet Cameras to a pole			•	•	Material: Aluminum Color: White Weight: 2.0 lbs (0.91 kg)	ME6 IR DuraBullet 37993-101 ME8 IR DuraBullet 39533-101 VA2 IR MicroBullet 39365-101 VA4 IR DuraBullet 39366-101

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
CORNER MOUNT ADAPTERS						
27639 Corner Adapter For mounting various domes to a corner			•	•	Material: Steel Color: Ivory Weight: 5.29 lbs (2.4 Kg)	ME6 IR Dome 37992-101 ME8 IR Dome 39532-101 VA2 IR Dome 39361-101 VA4 IR Dome 39362-101 VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101 ME3 Pendant IR PTZ 40x 39534-101 SE2 Pendant PTZ 30x 39535-101
40747 Corner Mount Adapter For mounting various domes to a corner			•	•	Material: SECC Color: White Dimensions: 315 (L) x 216 (W) x 170 (H) mm Weight: 2,186 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101 AI4 IR DuraBullet 41095-101 LPR Bullet 42045-101 EL2 IR Bullet 40559-101 40559-102 EL5 IR Bullet 42057-101

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
JUNCTION BOXES						
41867 Junction Box compatible with Wall Mount Bracket			•	•	Material: Aluminum Alloy Color: White Pipe Thread: PF 3/4" Casing: IP66 (with supported cameras) Dimensions: 122 (L) x 122 (W) x 63 (H) mm Weight: 0.55 kg	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101 AI4 IR Durabullet 41095-101 LPR Bullet 42045-101
42363 Junction Box compatible with Gooseneck Bracket			•	•	Material: Aluminum + SPCC Color: White Casing: IP67, IK10 Dimensions: 255 (L) x 200 (W) x 130 (H) mm Weight: 2,020 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
42366 Junction Box compatible with Pole Mount Adapter 40745			•	•	Material: SPCC Color: White Suitable for Pole Diameter: 100-230 mm Dimensions: 240 x 275 x 136-280.7 mm Max. Load: 25 kg Weight: 4.85 kg	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101 EL2 IR Bullet 40559-101 40559-102 EL5 IR Bullet 42057-101
40744 Junction Box			•	•	Material: Aluminum Alloy Color: White Pipe Thread: PF 3/4" Dimensions: Ø122 x 122 x 76 mm Weight: 745 g	EL2 IR Bullet 40559-101 40559-102 EL5 IR Bullet 42057-101

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
ATM CAMERA MOUNTS						
34278 Standard Mounting Bracket For mounting ATM cameras inside an ATM			•		Material: Steel Color: Black Weight: 0.5 lb (0.23 kg)	SE2 ATM Camera 38137-101
40317 View Window Mounting Bracket For mounting ATM cameras inside an NCR 6634 ATM			•		Material: Plastic Color: Black with clear window Weight: 0.5 lbs (0.23 kg)	SE2 ATM Camera 38137-101
41079 View Window Mounting Bracket For mounting ATM cameras inside an NCR 6684 or NCR 6688 ATM			•		Material: Metal Color: Black Weight: 0.5 lbs (0.23 kg)	SE2 ATM Camera 38137-101

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
ANALYTICS SENSOR MOUNTS						
38548 Recessed Mount - X-Tilt			•		Material: Plastic Color: White Weight: 1.0 lbs (0.45 kg)	Brickstream Sensors 37381-101 37381-102 37381-103 37381-104
ELECTRICAL BOX MOUNTS						
40742 Adapter Plate CS2 Dome only			•		Material: SECC Color: White Dimensions: Ø 108.3 x 12 mm Weight: 90 g	AI4 IR Dome 41094-101 EL2 IR Dome 40560-101 EL5 IR Dome 41513-101 41512-101
36068 Electrical Mount Adapter Plate (surface mount) For surface-mounting various domes to a double-ganged deep electrical box			•		Material: Plastic Color: White Weight: 0.15 lb (0.07 kg)	VA2 Indoor IR Dome 35835-101 VA2 Indoor NanoDome 39364-101 VA4 Indoor IR Dome 39367-101
HEIGHT STRIP MOUNTS						
38764 Height Strip Housing For mounting the SE4 Covert Camera inside a height strip			•		Material: Painted Aluminum Color: Multi	VA4 Covert Camera 40100-101

Mount	Photo	Drawing	Indoor	Outdoor	Construction	Compatible With
PARABIT MOUNTS - These mounting solutions are ordered directly from Parabit						
Counter Mount Enclosure For mounting a camera inside a countertop enclosure. Allows for a clear capture of transactions and customer interactions.		Dimensions vary dependent on model (height of counter, camera FOV, aesthetic preference, etc.). Available in 6-inch, 12-inch and 18-inch models, with or without curved front.	•		Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	VA4 Covert Camera 40100-101 SE2 ATM Camera 38137-101
Doorway Mount Enclosure For mounting a camera discreetly and seamlessly into any standard door frame casing or door jamb. Allows for clear capture of faces at entries and exits.		Dimensions vary dependent on model. Available in curved slot or mullion faceplate (with or without collar).	•		Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	VA4 Covert Camera 40100-101 SE2 ATM Camera 38137-101
Wall Mount Faceplate Enclosure Single or double gang faceplate for high quality facial image capture.		Dimensions vary dependent on model. Available in single or double gang faceplates	•		Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	VA4 Covert Camera 40100-101 SE2 ATM Camera 38137-101
Drive Up Mount Enclosure For mounting camera at any facility entrance, security checkpoint, parking lot, drive up ATM, housing complex, private estate, school gates, and more. Simultaneously capture a driver's face and vehicle license plate.		 Technical drawing of the Drive Up Mount Enclosure showing four views: TOP VIEW, ISOMETRIC VIEW, SIDE VIEW, and FRONT VIEW. Dimensions are provided in inches: TOP VIEW (16.30in, 8.00in, 8.30in, 3 1/16in, 7 1/2in, 5 1/8in), ISOMETRIC VIEW, SIDE VIEW (9 Degrees), and FRONT VIEW (6 1/8in, 3 1/8in, 9 Degrees).	•	•	Material: Dependent on model Color: Black, white, silver Weight: Dependent on model	VA4 Covert Camera 40100-101 SE2 ATM Camera 38137-101