# Camera Mounting Solutions

MARCH networks
A Delta Group Company

# CAMERA MOUNTING SOLUTIONS



| | Flush Mount | Pendant Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|---|
| **FIXED DOMES** | | | | | |
| **AI4 IR Dome**<br>41094-101<br> <br>*42364 and 42366 cannot be used together.*<br>*40745 and 40747 cannot be used together.*<br>**OTHER ACCESSORIES**<br>**Electrical Box Mount**<br>4" Mounting Adapter Plate for Octagon and Single Gang Box<br>40742<br>  | Not Available | Pendant Head (1.5" NPT)<br>42359<br> <br>– + –<br>Pendant Pipe 20cm - 42360<br>OR<br>Pendant Pipe 40cm - 42361<br> <br>– + –<br>Mounting Cap Adapter<br>41190<br> | Waterproof Conduit Box<br>41193<br> <br>OR<br>L-Shape Bracket<br>41191<br> <br>OR<br>Wall Mount Bracket<br>42169<br> <br>– + –<br>Mounting Cap Adapter<br>41190<br><br>– + –<br>Outdoor Junction Box (Optional)<br>41867<br> <br>OR<br>Gooseneck Bracket<br>42362<br> <br>– + –<br>Mounting Cap Adapter<br>41190<br><br>– + –<br>Junction Box (Optional)<br>42363<br> | Wall Mount Bracket<br>42169<br> <br>– + –<br>Mounting Cap Adapter<br>41190<br><br>– + –<br>Pole Mount Adapter<br>40745<br> <br>– + –<br>Outdoor Junction Box (Optional)<br>41867<br> <br>OR<br>Gooseneck Bracket<br>42362<br> <br>– + –<br>Mounting Cap Adapter<br>41190<br><br>– + –<br>Pole Mount Adapter<br>40745<br> <br>– + –<br>Junction Box (Optional)<br>42363 OR 42366<br> | Wall Mount Bracket<br>42169<br> <br>– + –<br>Mounting Cap Adapter<br>41190<br><br>– + –<br>Corner Mount Adapter<br>40747<br> <br>– + –<br>Outdoor Junction Box (Optional)<br>41867<br> |

| | Flush Mount | Pendant Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|---|
| **FIXED DOMES** | | | | | |
| **EL2 IR Dome**<br>40560-101<br> <br>*42364 and 42366 cannot be used together.*<br>*40745 and 40747 cannot be used together.*<br><br>OTHER ACCESSORIES<br>**Electrical Box Mount**<br>4" Mounting Adapter Plate for Octagon and Single Gang Box<br>40742<br> | Not Available | Pendant Head (1.5" NPT)<br>42359<br> <br>Pendant Pipe 20cm - 42360<br>OR<br>Pendant Pipe 40cm - 42361<br> <br>Mounting Cap Adapter<br>40743<br> | Waterproof Conduit Box<br>40746<br> <br>OR<br>L-Shape Bracket<br>40741<br> <br>OR<br>Wall Mount Bracket<br>42169<br> <br>Mounting Cap Adapter<br>40743<br> <br>Outdoor Junction Box (Optional)<br>41867<br> <br>OR<br>Gooseneck Bracket<br>42362<br> <br>Mounting Cap Adapter<br>40743<br> <br>Junction Box (Optional)<br>42363<br> | Wall Mount Bracket<br>42169<br> <br>Mounting Cap Adapter<br>40743<br> <br>Pole Mount Adapter<br>40745<br> <br>Outdoor Junction Box (Optional)<br>41867<br> <br>OR<br>Gooseneck Bracket<br>42362<br> <br>Mounting Cap Adapter<br>40743<br> <br>Pole Mount Adapter<br>40745<br> <br>Junction Box (Optional)<br>42363 OR 42366<br> | Wall Mount Bracket<br>42169<br> <br>Mounting Cap Adapter<br>40743<br> <br>Corner Mount Adapter<br>40747<br> <br>Outdoor Junction Box (Optional)<br>41867<br> |

| | Flush Mount | Pendant Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|---|
| **FIXED DOMES** | | | | | |
| **EL5 IR Dome**<br>41512-101<br>41513-101<br> <br>*42364 and 42366 cannot be used together.*<br>*40745 and 40747 cannot be used together..*<br>**OTHER ACCESSORIES**<br>**Electrical Box Mount**<br>4" Mounting Adapter Plate for Octagon and Single Gang Box<br>40742<br>  | Not Available | Pendant Head (1.5" NPT)<br>42359<br> <br>Pendant Pipe 20cm - 42360<br>OR<br>Pendant Pipe 40cm - 42361<br> <br>Mounting Cap Adapter<br>42046 for 41513-101<br>40743 for 41512-101<br> | Waterproof Conduit Box<br>41913<br> <br>OR<br>L-Shape Bracket<br>41191<br> <br>OR<br>Wall Mount Bracket<br>42169<br> <br>Mounting Cap Adapter<br>42046<br><br>Outdoor Junction Box (Optional)<br>41867<br> <br>OR<br>Gooseneck Bracket<br>42362<br> <br>MMounting Cap Adapter<br>42046<br><br>Junction Box (Optional)<br>42363<br> | Wall Mount Bracket<br>42169<br> <br>Mounting Cap Adapter<br>42046<br><br>Pole Mount Adapter<br>40745<br> <br>Outdoor Junction Box (Optional)<br>41867<br> <br>OR<br>Gooseneck Bracket<br>42362<br> <br>Mounting Cap Adapter<br>42046<br><br>Pole Mount Adapter<br>40745<br> <br>Junction Box (Optional)<br>42363 OR 42366<br> | Wall Mount Bracket<br>42169<br> <br>Mounting Cap Adapter<br>42046<br><br>Corner Mount Adapter<br>40747<br> <br>Outdoor Junction Box (Optional)<br>41867<br> |

| | Flush Mount | Pendant Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|---|
| **FIXED DOMES** | | | | | |
| **ME6 IR Dome**<br>37992-101<br> <br>**ME8 IR Dome**<br>39532-101<br> <br>**VA2 IR Dome**<br>39361-101<br> <br>**VA4 IR Dome**<br>39362-101<br> | Flush Mount Adapter<br>33306<br> | Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Pendant Mount<br>41516<br><br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Pendant Mount with Back Box<br>36990<br> | Wall Mount (indoor applications only)<br>33088<br> <br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Wall Mount<br>41517<br> <br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Wall Mount with Back Box<br>36989<br> | Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Wall Mount<br>41517<br> <br>+<br>Pole Adapter<br>41515<br> <br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Wall Mount with Back Box<br>36989<br> <br>+<br>Pole Adapter<br>41515<br> | Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Wall Mount<br>41517<br> <br>+<br>Corner Adapter<br>27639<br><br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Wall Mount with Back Box<br>36989<br> <br>+<br>Corner Adapter<br>27639<br> |

| | Pendant Mount | Wall Mount | Pole Mount | Corner Mount | Electrical Box Mount |
|---|---|---|---|---|---|
| **FIXED INDOOR DOME** | | | | | |
| **VA2 Indoor IR Dome**<br>35835-101<br> <br>*Also available with smoked bubble (37271) and black housing (37991)* | Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Pendant Mount<br>41516<br><br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Pendant Mount with Back Box<br>36990<br> | Wall Mount<br>33286<br> <br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Wall Mount<br>41517<br> <br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Wall Mount with Back Box<br>36989<br> | Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Wall Mount<br>41517<br> <br>+<br>Pole Adapter<br>41515<br> <br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Wall Mount with Back Box<br>36989<br> <br>+<br>Pole Adapter<br>41515<br> | Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Wall Mount<br>41517<br> <br>+<br>Corner Adapter<br>27639<br><br>OR<br>Pipe Mount Adapter (1.5" NPT)<br>33287<br> <br>+<br>Wall Mount with Back Box<br>36989<br> <br>+<br>Corner Adapter<br>27639<br> | Adapter Plate<br>36068<br> <br>Electrical box mount not available with VA2 Indoor NanoDome |
| **VA2 Indoor NanoDome**<br>39364-101<br> | | | | | |
| **VA4 Indoor IR Dome**<br>39367-101<br> <br>*Also available with smoked bubble (37271) and black housing (37991)* | | | | | |

| | Pendant Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|
| **PTZ DOMES** | | | | |
| **ME3 Pendant IR PTZ 40x**<br>39534-101<br> | Pendant Mount<br>41516<br><br>OR<br>Pendant Mount with Back Box<br>36990<br> | Wall Mount<br>41517<br> <br>OR<br>Wall Mount with Back Box<br>36989<br> | Wall Mount<br>41517<br> <br>Pole Adapter<br>41515<br> <br>OR<br>Wall Mount with Back Box<br>36989<br> <br>Pole Adapter<br>41515<br> | Wall Mount<br>41517<br> <br>Corner Adapter<br>27639<br><br>OR<br>Wall Mount with Back Box<br>36989<br> <br>Corner Adapter<br>27639<br> |
| **SE2 Pendant PTZ 30x**<br>39535-101<br> <br>*available with smoked bubble (37272)* | | | | |
| **SE2 Flush PTZ 30x**<br>39536-101<br> <br>*available with smoked bubble (37273)* | This dome can be flush-mounted out of the box; no additional mounting options are available. | | | |

| | Pendant Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|
| **BULLET CAMERAS** | | | | |
| **AI4 IR DuraBullet**<br>41095-10<br> <br>**LPR (License Plate Recognition) Bullet**<br>42045-10<br> <br>*40745 and 40747 cannot be used together.* | Not Available | Outdoor Junction Box<br>41867<br> | Pole Mount Adapter<br>40745<br> | Corner Mount Adapter<br>40747<br> |
| **EL2 IR Bullet**<br>40559-101<br>40559-102<br> <br>**EL5 IR Bullet**<br>42057-101<br> <br>*42364 and 42366 cannot be used together.*<br>*40744 and 40746 cannot be used together.*<br>*40745 and 40747 cannot be used together.* | Not Available | Junction Box<br>40744<br> <br>**OR**<br>Waterproof Conduit Box<br>40746<br> | Pole Mount Adapter<br>40745<br> <br>**OR**<br>Pole Mount Adapter<br>42366<br> | Corner Mount Adapter<br>40747<br> |

# CAMERA MOUNTING SOLUTIONS

| BULLET CAMERAS | WALL MOUNT | POLE MOUNT |
|---|---|---|
| **ME6 IR DuraBullet**<br>37993-101<br> <br>**ME8 IR DuraBullet**<br>39533-101<br> <br>**VA4 IR DuraBullet**<br>39366-101<br> <br>**VA2 IR MicroBullet**<br>39365-101<br> | **Wall Mount Back Box**<br>33227<br> | **Pole Mount Back Box**<br>33226<br> |

| COVERT CAMERAS | Height Strip | Counter Mount | Doorway Enclosure | Wall Mount Faceplate | Drive Up Enclosure |
|---|---|---|---|---|---|
| **VA4 Covert Camera**<br>40100-101<br> | **Height Strip Housing**<br>38764<br> | **Counter Mount**<br>Multiple models available; contact Parabit for P/Ns<br> | **Doorway Mount**<br>Multiple models available; contact Parabit for P/Ns<br> | **Wall Mount**<br>Multiple models available; contact Parabit for P/Ns<br> | **Drive Up Mount**<br>Multiple models available; contact Parabit for P/Ns<br> |

| ATM CAMERAS | Short Mounting Bracket | Standard Mounting Bracket | View Window Mounting Bracket |
|---|---|---|---|
| **SE2 ATM Camera**<br>38137-101<br> | Not Available | **Mounting Bracket**<br>34278<br> | **Mounting Bracket**<br>40317 (for NCR 6634)<br>38423 (for NCR 6684 and NCR 6688)<br> |

| ANALYTICS SENSORS | Indoor Surface Mount | Recessed Mount - X-Tilt | Indoor Wall/Ceiling Mount |
|---|---|---|---|
| **Brickstream Sensors**<br>37381-101<br>37381-102<br>37381-103<br>37381-104<br> | **Surface Mount**<br>Ships with camera<br> | **Recessed Mount - X-Tilt**<br>38548<br> | **Wall/Ceiling Mount**<br>HOWSCAMWB<br> |

| | Flush Mount | Pendant Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|---|
| **180° AND 360° CAMERAS** | | | | | |
| **VA5 360° IR Dome**<br>41105-101<br>41105-102<br> | Not Available | Pendant Mount with Back Box<br>36990<br> <br>+<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>OR<br>Pendant Mount<br>41516<br><br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> | Wall Mount with Back Box<br>36989<br> <br>+<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>OR<br>Wall Mount<br>41517<br> <br>+<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> | Wall Mount with Back Box<br>36989<br> <br>+<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Pole Adapter<br>41515<br> <br>OR<br>Wall Mount<br>41517<br> <br>+<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Pole Adapter<br>41515<br> | Wall Mount with Back Box<br>36989<br> <br>+<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Corner Adapter<br>27639<br><br>OR<br>Wall Mount<br>41517<br> <br>+<br>Pipe Mount Adapter (1.5" NPT)<br>33285<br> <br>+<br>Corner Adapter<br>27639<br> |

| | Flush Mount | Pendant Mount | Panoramic+ Tilt Mount | Wall Mount | Pole Mount | Corner Mount |
|---|---|---|---|---|---|---|
| **180° AND 360° CAMERAS** | | | | | | |
| **Oncam C-Series Indoor Cameras**<br>C-08<br>40216<br>C-12<br>38500<br> | Flush Mount Adapter<br>38502<br> | Pendant Mount Adapter<br>38503<br> | Panoramic+ Tilt<br>40032<br> | | | |
| **Oncam C-Series Outdoor Cameras**<br>C-08<br>40217<br>C-12<br>38501<br> <br>*optional heater module (38505)*<br> | | Pendant Mount Adapter<br>38504<br> <br>*Both Pendant Cap and Sunshield Included*<br>– ⊕ –<br>Optional Rain Guard<br>40033<br><br>*compatible with all Panoramic+ Tilt mounts* | Panoramic+ Tilt<br>40034<br> <br>– ⊕ –<br>Pendant Mount Adapter<br>38504<br> | Wall Mount<br>34493<br> <br>– ⊕ –<br>Pendant Mount Adapter<br>38504<br> | Pole Mount<br>34491<br> <br>– ⊕ –<br>Pendant Mount Adapter<br>38504<br> | Corner Mount<br>34487<br> <br>– ⊕ –<br>Pendant Mount Adapter<br>38504<br> |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **FLUSH MOUNT ADAPTERS** | | | | | | |
| 33306<br>**Flush Mount Adapter**<br>For flush-mounting various outdor domes | |  | • | • | **Material:** Steel/plastic assembly<br>**Color:** White<br>**Weight:** 2.0 lbs (0.91 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101 |
| **PENDANT HEAD ADAPTERS** | | | | | | |
| 42359<br>**Outdoor Pendant Head**<br>For mounting various domes to a ceiling | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** PF 1-1/2″<br>**Dimensions:**<br>Ø 160 x 90 mm<br>**Weight:** 740 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |
| **PIPE MOUNT ADAPTERS** | | | | | | |
| 33285<br>**1.5″ NPT Mount Adapter with Sunshield**<br>For mounting various domes to industry-standard NPT mounts | |  | • | • | **Material:** Plastic<br>**Color:** White<br>**Weight:** 1.0 lb (0.45 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA5 360° IR Dome<br>41105-101<br>41105-102 |
| 33287<br>**0.75″ / 1.5″ NPT Mount Adapter**<br>For mounting various domes to industry-standard NPT mounts | |  | • | • | **Material:** Aluminum<br>**Color:** White<br>**Weight:** 0.4 lb (0.18 kg) | VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **PIPE MOUNT ADAPTERS (cont'd)** | | | | | | |
| 40743<br>**0.75" / 1.5" NPT Mount Adapter for Fixed Dome**<br>For mounting various domes to industry-standard NPT mounts | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** 3/4" NPT Female and 1-1/2" PS Male<br>**Dimensions:** Ø 130 x 42 mm<br>**Weight:** 230 g | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA5 360° IR Dome<br>41105-101<br>41105-102 |
| 42046<br>**0.75" / 1.5" NPT Mount Adapter for Fixed Dome**<br>For mounting various domes to industry-standard NPT mounts | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** 3/4" NPT Female and 1-1/2" PS Male<br>**Dimensions:** Ø 155 x 42 mm<br>**Weight:** 320 g | EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |
| 41190<br>**0.75" / 1.5" NPT Mount Adapter for Outdoor Dome**<br>For mounting various domes to industry-standard NPT mounts | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** 3/4" NPT Female and 1-1/2" PS Male<br>**Dimensions:** Ø 155 x 42 mm<br>**Weight:** 320 g | AI4 IR Dome<br>41094-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **PENDANT MOUNTS** | | | | | | |
| 41516<br>**Pendant Mount**<br>For mounting various domes to a ceiling | |  | • | • | **Material:** Aluminum<br>**Color:** White<br>**Weight:** 1.21 lbs (0.55 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101<br>ME3 Pendant IR PTZ 40x<br>39534-101<br>SE2 Pendant PTZ 30x<br>39535-101<br>VA5 360° IR Dome<br>41105-101<br>41105-102 |
| 36990<br>**Pendant Mount with Back Box**<br>For mounting various domes to a ceiling | |  | • | • | **Material:** Aluminum<br>**Color:** White sand-tone<br>**Weight:** 3.54 lbs (1.61 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101<br>ME3 Pendant IR PTZ 40x<br>39534-101<br>SE2 Pendant PTZ 30x<br>39535-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **PENDANT MOUNTS (cont'd)** | | | | | | |
| 42360<br>**Outdoor Pendant Pipe (20cm) - 1.5" PS11**<br>For mounting various domes to a ceiling | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Dimensions:** Ø 51 x 200 mm<br>**Weight:** 410 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |
| 42361<br>**Outdoor Pendant Pipe (40cm) - 1.5" PS11**<br>For mounting various domes to a ceiling | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Dimensions:** Ø 51 x 400 mm<br>**Weight:** 902 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **WALL MOUNT ADAPTERS** | | | | | | |
| 33088<br>**Short Wall Mount**<br>For mounting various domes to a wall (indoors) | |  | • | | **Material:** Plastic<br>**Color:** White<br>**Weight:** 0.5 lb (0.23 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101 |
| 33286<br>**Short Wall Mount**<br>For mounting various domes to a wall | |  | • | • | **Material:** Plastic<br>**Color:** White<br>**Weight:** 0.3 lb (0.14 kg) | VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101 |
| 40741<br>**L-Shape Bracket**<br>For mounting directly to walls - requires no other adapters | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Dimensions:**<br>170 (L) x 110 (W) x 150 (H) mm<br>**Weight:** 600 g | EL2 IR Dome<br>40560-101 |
| 41191<br>**L-Shape Bracket**<br>For mounting directly to walls - requires no other adapters | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Dimensions:**<br>170 (L) x 110 (W) x 150 (H) mm<br>**Weight:** 600 g | AI4 IR Dome<br>41094-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **WALL MOUNT ADAPTERS (cont'd)** | | | | | | |
| 36989<br>**Wall Mount with Back Box**<br>For mounting various domes to a wall | |  | • | • | **Material:** Aluminum<br>**Color:** White sand-tone<br>**Weight:** 4.48 lbs (2.03 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101<br>ME3 Pendant IR PTZ 40x<br>39534-101<br>SE2 Pendant PTZ 30x<br>39535-101<br>VA5 360° IR Dome<br>41105-101<br>41105-102 |
| 41517<br>**Long Wall Mount**<br>For wall mounting various domes | |  | • | • | **Material:** Aluminum<br>**Color:** White<br>**Weight:** 1.21 lbs (0.55 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101<br>ME3 Pendant IR PTZ 40x<br>39534-101<br>SE2 Pendant PTZ 30x<br>39535-101<br>VA5 360° IR Dome<br>41105-101<br>41105-102 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **BRACKET MOUNT ADAPTERS** | | | | | | |
| 42362<br>**Wall or Pole Mount Gooseneck Bracket**<br>For mounting various domes to industry-standard NPT mounts | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** PF 1-1/2″<br>**Dimensions:**<br>406 (L) x 140 (W) x 262 (H) mm<br>**Weight:** 2,085 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |
| 42169<br>**Wall, Pole, or Corner Mount Bracket**<br>For mounting various domes to industry-standard NPT mounts | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Dimensions:**<br>231 (L) x 117 (W) x 117 (H) mm<br>**Weight:** 700 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |
| HOWSCAMWB<br>**Wall/Ceiling Mount**<br>For mounting analytics sensors | |  | • | | **Material:** Plastic/aluminum<br>**Color:** White<br>**Weight:** .33 lbs (.150 kg) | Brickstream Sensors<br>37381-101<br>37381-102<br>37381-103<br>37381-104 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **WALL MOUNT BOXES** | | | | | | |
| 41913<br>**Waterproof Conduit Box**<br>IP66 (with supported cameras) | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** PF 3/4″<br>**Dimensions:** Ø 138 x 55 mm<br>**Weight:** 736 g | EL5 IR Dome<br>41513-101<br>41512-101 |
| 40746<br>**Outdoor Conduit Box**<br>CS2 Dome only | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** PF 1/2″<br>**Dimensions:** Ø 117 x 40 mm<br>**Weight:** 373 g | EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |
| 33227<br>**Wall Mount Back Box**<br>For mounting the Bullet Cameras to a wall | |  | • | • | **Material:** Aluminum<br>**Color:** White<br>**Weight:** 2.0 lbs (0.91 kg) | ME6 IR DuraBullet<br>37993-101<br>ME8 IR DuraBullet<br>39553-101<br>VA2 IR MicroBullet<br>39365-101<br>VA4 IR DuraBullet<br>39366-101 |
| 41193<br>**Outdoor Conduit Box**<br>For mounting to the ceiling or wall | |  | • | • | **Material:**<br>**Color:** White<br>**Weight:** 856g | AI4 IR Dome<br>411094-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **POLE MOUNT ADAPTERS** | | | | | | |
| 41515<br>**Pole Adapter**<br>For mounting various domes to a pole | |  | • | • | **Material:** Steel<br>**Color:** White<br>**Weight:** 2.87 lbs (1.30 kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101<br>ME3 Pendant IR PTZ 40x<br>39534-101<br>SE2 Pendant PTZ 30x<br>39535-101<br>VA5 360° IR Dome<br>41105-101<br>41105-102 |
| 40745<br>**Pole Mount Bracket – Pole Diameter 90-152mm**<br>For mounting poles to a Wall Mount Bracket | |  | • | • | **Material:** SECC and Stainless Steel<br>**Color:** White<br>**Dimensions:**<br>170 (L) x 174 (W) x 70 (H) mm<br>**Weight:** 997 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>41512-101<br>EL5 IR Dome<br>41513-101<br>AI4 IR DuraBullet<br>41095-101<br>LPR Bullet<br>42045-101<br>EL2 IR Bullet<br>40559-101<br>40559-102<br>EL5 IR Bullet<br>42057-101 |
| 33226<br>**Pole Mount Back Box**<br>For mounting the Bullet Cameras to a pole | |  | • | • | **Material:** Aluminum<br>**Color:** White<br>**Weight:** 2.0 lbs (0.91 kg) | ME6 IR DuraBullet<br>37993-101<br>ME8 IR DuraBullet<br>39533-101<br>VA2 IR MicroBullet<br>39365-101<br>VA4 IR DuraBullet<br>39366-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **CORNER MOUNT ADAPTERS** | | | | | | |
| 27639<br>**Corner Adapter**<br>For mounting various domes to a corner |  |  | • | • | **Material:** Steel<br>**Color:** Ivory<br>**Weight:** 5.29 lbs (2.4 Kg) | ME6 IR Dome<br>37992-101<br>ME8 IR Dome<br>39532-101<br>VA2 IR Dome<br>39361-101<br>VA4 IR Dome<br>39362-101<br>VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101<br>ME3 Pendant IR PTZ 40x<br>39534-101<br>SE2 Pendant PTZ 30x<br>39535-101 |
| 40747<br>**Corner Mount Adapter**<br>For mounting various domes to a corner | |  | • | • | **Material:** SECC<br>**Color:** White<br>**Dimensions:**<br>315 (L) x 216 (W) x 170 (H) mm<br>**Weight:** 2,186 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101<br>AI4 IR DuraBullet<br>41095-101<br>LPR Bullet<br>42045-101<br>EL2 IR Bullet<br>40559-101<br>40559-102<br>EL5 IR Bullet<br>42057-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **JUNCTION BOXES** | | | | | | |
| 41867<br>**Junction Box**<br>compatible with Wall Mount Bracket | |  | • | • | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** PF 3/4"<br>**Casing:** IP66 (with supported cameras)<br>**Dimensions:** 122 (L) x 122 (W) x 63 (H) mm<br>**Weight:** 0.55 kg | AI4 IR Dome 41094-101<br>EL2 IR Dome 40560-101<br>EL5 IR Dome 41513-101 41512-101<br>AI4 IR Durabullet 41095-101<br>LPR Bullet 42045-101 |
| 42363<br>**Junction Box**<br>compatible with Gooseneck Bracket | |  | • | • | **Material:** Aluminum + SPCC<br>**Color:** White<br>**Casing:** IP67, IK10<br>**Dimensions:** 255 (L) x 200 (W) x 130 (H) mm<br>**Weight:** 2,020 g | AI4 IR Dome 41094-101<br>EL2 IR Dome 40560-101<br>EL5 IR Dome 41513-101 41512-101 |
| 42366<br>**Junction Box**<br>compatible with Pole Mount Adapter 40745 | |  | • | • | **Material:** SPCC<br>**Color:** White<br>**Suitable for Pole Diameter:** 100~230 mm<br>**Dimensions:** 240 x 275 x 136~280.7 mm<br>**Max. Load:** 25 kg<br>**Weight:** 4.85 kg | AI4 IR Dome 41094-101<br>EL2 IR Dome 40560-101<br>EL5 IR Dome 41513-101 41512-101<br>EL2 IR Bullet 40559-101 40559-102<br>EL5 IR Bullet 42057-101 |
| 40744<br>**Junction Box** | |  | | | **Material:** Aluminum Alloy<br>**Color:** White<br>**Pipe Thread:** PF ¾"<br>**Dimensions:** Ø122 x 122 x 76 mm<br>**Weight:** 745 g | EL2 IR Bullet 40559-101 40559-102<br>EL5 IR Bullet 42057-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **ATM CAMERA MOUNTS** | | | | | | |
| 34278<br>**Standard Mounting Bracket**<br>For mounting ATM cameras inside an ATM | |  | • | | **Material:** Steel<br>**Color:** Black<br>**Weight:** 0.5 lb (0.23 kg) | SE2 ATM Camera<br>38137-101 |
| 40317<br>**View Window Mounting Bracket**<br>For mounting ATM cameras inside an NCR 6634 ATM | |  | • | | **Material:** Plastic<br>**Color:** Black with clear window<br>**Weight:** 0.5 lbs (0.23 kg) | SE2 ATM Camera<br>38137-101 |
| 38423<br>**View Window Mounting Bracket**<br>For mounting ATM cameras inside an NCR 6684 or NCR 6688 ATM | |  | • | | **Material:** Metal<br>**Color:** Black<br>**Weight:** 0.5 lbs (0.23 kg) | SE2 ATM Camera<br>38137-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **ANALYTICS SENSOR MOUNTS** | | | | | | |
| 38548<br>**Recessed Mount - X-Tilt** | |  | • | | **Material:** Plastic<br>**Color:** White<br>**Weight:**1.0 lbs (0.45 kg) | Brickstream Sensors<br>37381-101<br>37381-102<br>37381-103<br>37381-104 |
| **ELECTRICAL BOX MOUNTS** | | | | | | |
| 40742<br>**Adapter Plate**<br>CS2 Dome only | |  | • | | **Material:** SECC<br>**Color:** White<br>**Dimensions:** Ø 108.3 x 12 mm<br>**Weight:** 90 g | AI4 IR Dome<br>41094-101<br>EL2 IR Dome<br>40560-101<br>EL5 IR Dome<br>41513-101<br>41512-101 |
| 36068<br>**Electrical Mount Adapter Plate (surface mount)**<br>For surface-mounting various domes to a double-ganged deep electrical box | |  | • | | **Material:** Plastic<br>**Color:** White<br>**Weight:** 0.15 lb (0.07 kg) | VA2 Indoor IR Dome<br>35835-101<br>VA2 Indoor NanoDome<br>39364-101<br>VA4 Indoor IR Dome<br>39367-101 |
| **HEIGHT STRIP MOUNTS** | | | | | | |
| 38764<br>**Height Strip Housing**<br>For mounting the SE4 Covert Camera inside a height strip | |  | • | | **Material:** Painted Aluminum<br>**Color:** Multi | VA4 Covert Camera<br>40100-101 |

| Mount | Photo | Drawing | Indoor | Outdoor | Construction | Compatible With |
|---|---|---|---|---|---|---|
| **PARABIT MOUNTS – These mounting solutions are ordered directly from Parabit** | | | | | | |
| Counter Mount Enclosure<br>**For mounting a camera inside a countertop enclosure.**<br>Allows for a clear capture of transactions and customer interactions. | | Dimensions vary dependent on model (height of counter, camera FOV, aesthetic preference, etc.).<br>Available in 6-inch, 12-inch and 18-inch models, with or without curved front. | • | | **Material:** Dependent on model<br>**Color:** Black, white, silver<br>**Weight:** Dependent on model | VA4 Covert Camera<br>40100-101<br>SE2 ATM Camera<br>38137-101 |
| Doorway Mount Enclosure<br>**For mounting a camera discreetly and seamlessly into any standard door frame casing or door jamb.**<br>Allows for clear capture of faces at entries and exits. | | Dimensions vary dependent on model.<br>Available in curved slot or mullion faceplate (with or without collar). | • | | **Material:** Dependent on model<br>**Color:** Black, white, silver<br>**Weight:** Dependent on model | VA4 Covert Camera<br>40100-101<br>SE2 ATM Camera<br>38137-101 |
| Wall Mount Faceplate Enclosure<br>**Single or double gang faceplate for high quality facial image capture.** | | Dimensions vary dependent on model.<br>Available in single or double gang faceplates | • | | **Material:** Dependent on model<br>**Color:** Black, white, silver<br>**Weight:** Dependent on model | VA4 Covert Camera<br>40100-101<br>SE2 ATM Camera<br>38137-101 |
| Drive Up Mount Enclosure<br>**For mounting camera at any facility entrance, security checkpoint, parking lot, drive up ATM, housing complex, private estate, school gates, and more.**<br>Simultaneously capture a driver's face and vehicle license plate. | |  | • | • | **Material:** Dependent on model<br>**Color:** Black, white, silver<br>**Weight:** Dependent on model | VA4 Covert Camera<br>40100-101<br>SE2 ATM Camera<br>38137-101 |

North America . . . . . 1 800 563 5564
Latin America . . . . . +5255 5259 9511
Europe . . . . . +39 0362 17935

Asia . . . . . +65 6818 0963
Australia and New Zealand . . . . . +61 1300 089 419
Middle East and Africa . . . . . +971 4 399 5525

© 2025 March Networks. All rights reserved. Information in this document is subject to change without notice. MARCH NETWORKS, March Networks Command, March Networks Searchlight, March Networks RideSafe, and the MARCH NETWORKS logo are trademarks of March Networks Corporation. All other trademarks are the property of their respective owners. 060-3103-00-O