



GV-VMS V17, V18, and V20 Comparison

	GV-VMS V17	GV-VMS V18	GV-VMS V20
Software Interface			
Max. Number of Channels	32 ch	64 ch	256 ch
Free License	32 ch of GV-IP Devices	N/A (Fully paid software)	64 ch of GV-IP Devices
Trial License	O^1		
Live View UI	Fixed windows		Resizable windows
Live View and Playback on one UI	Not supported		О
Event List	Separate lists: event list + face list (face ID) shown separately		Integrated lists: Al event & face data combined in one list
Theme Color	Light (Default) / Black style		Light / Black (Default) style
Supported Language	22 languages		23 languages (Ukrainian added)
OS (64-bit)	Windows 8 / 8.1 / 10 / 11 / Server 2012 R2 / Server 2016 / Server 2019 / Server 2022	Windows 10 / 11 / Server 2016 / Server 2019 / Server 2022	
Supported Database (Event Log)	Microsoft Office Access, Microsoft SQL		
Webcam Server Support	0		
	GV-IP devices		
Supported Devices	3rd party IP cameras		
	ONVIF, PSIA, RTSP protocols		



5	
ST PA	
1	
1300	

Multi-Scree	en Support	O (through the Layout function)			
Layout		 1 x 1 ~ 10 x 10 live view grids Customizable layout GV-IP Decoder Box for remote monitor display 		 1 x 1 ~ 16 x 16 live view grids Customizable layout GV-IP Decoder Box for remote monitor display 	
	Intel GPU		0		
GPU Decoding	External NVIDIA Graphics Card	0			
H.265 GPU	Decoding	0			
H.265 Code	ec	0			
On-Deman	d (Dual Stream)		0		
Service Mo	de		0		
Supported Resolution	Screen	1024 x 768 or above (4K supported)			
	ction display e view) on any sion	Not supported	О		
Motion De	tection		0		
Smart Mot	ion Search	Not supported	Not supported O		
Smart PVD	Motion Search	Not su	supported O		
PVD Motion Detection		Not supported	О	O (requires Al License)	
Video Anal	ytics Events	Object Index, Privacy Mask, Defog, Stabilizer, Intruder, Counter, Crowd Detection, Advanced Unattended Object, Advanced Scene Change, Advanced Missing Object, Face Count, Text Overlay, GV-3D People Count (from GV-3D People Counter V2), Heat Map		Privacy Mask, Advanced Scene Change, Text Overlay, GV-3D People Count (from GV-3D People Counter V2)	
-	s Events with AI- / IP Cameras	Not supported	GV-3D People Count (from GV-3D People Counter V3), Intrusion, Cross Line, Leave Area, Enter Area, Object Count (from AI-capable GV-IP cameras), Loitering, Face Detection, Crowd Detection, Flame Detection, 3rd Party Events	GV-3D People Count (from GV-3D People Counter V3), Intrusion, Cross Line, Leave Area, Enter Area, Object Count (from Al-capable GV-IP cameras), Loitering, Face Detection, Crowd Detection, 3rd Party Events, Missing Object, Tampering Alarm, Abnormal Temperature Detection, Unattended Object, Abnormal Audio Detection, Video Metadata	



3	E S
3	53

Face Recognition		GV-VD8700 (camera)	GV-VD8700 (camera), GV-Al FR (SW)	GV-VD8700 (camera), GV-AI FR (SW), Built-in face recognition engine (requires AI License)
Face Search		Not supported	0	
Remote Motion Detection Setup		Not supported		0
Remote Al Event Setup		Not supported		0
E-Map		O (Camera View, I/O Alarm, Face Recognition)		
Log		Monitor, Login, System, Merge, Delete, Backup, I/O, Notification, Playback, CMS, POS, Counter	Monitor, Login, System, Merge, Delete, Backup, I/O, Notification, Playback, CMS, POS, Counter, AI Events	
Al Query		Not supported O		0
Account Management		Up to 1,000 accounts		
I/O Device Control		0		
E-Mail Alert	E-Mail Alert	0		
	I/O Alarm	О		
Notification	Computer Alarm	О		
	SNMP Protocol	0		
PTZ Control		O (PTZ Control Panel, Keyboard, Joystick)		
Fisheye Support		O (Fisheye Dewarping, Auto Pan, Presets, Object Tracking)		
Smart Streaming		0		
Two-Way Audio		0		
SIP Server (Dial-Out only)		Not supported O		0
POS Solution		Max. 32 ch		
	Input Trigger	0		0
IP Speaker	Motion / PVD	Not supported		0
	Al Event	Not supported		0

Note:

- 1. For details on the licenses, see *License* in the <u>GV-VMS V17/V18 Datasheet</u> and <u>GV-VMS V20 Datasheet</u>.
- 2. All specifications are subject to change without notice.